·		£	UTA	H DIVISIO	NOF OIL AND	GAS CONS	ERVA	NOITA		• 1	gi.	<u>, </u>
REMARKS:		G	ELECTRIC LOGS	file X	_WATER SANDS_	LOCATIO	N INSP	ECTED_		BUB. REPORT	/abd	**************************************
												
					Yout.	n) al		0 1/4	** • 1/	1-1/6	111	
					Locatro	10 ac	un	210	nea		1:16	
					<u>′</u>	······						
DATE FILE	P 8-2	8-74										
LAND: FE	E & PATEN	TED	STATE LEASE NO.	•	PUBL	IC LEASE NO		U-2177	5	INDIAN		:
DRILLING	APPROVED	. 9	-5-74									
SPUDDED	IN:		·		·							
COMPLETE	D:		PUT TO PROD	DUCING:								
INITIAL PR	ODUCTION	:										
GRAVITY A	.P.I.											
GOR:												
PRODUCIN	G ZONES:											
TOTAL DEF	>тн:											
WELL ELEV	VATION:	600	0' 971									
DATE ABAN	NDONED:		-76							•		
FIELD:	Wild	cat 3/	86									
UNIT:												
COUNTY:	Emer	у										
WELL NO.		TRUE	FEDERAL #21-	-18			. A	PT. NO:	43-0	15-30030		
LOCATION	162		r, FROM (N) (XXLIN		541' FT. F	RОМ (Ж Х(W) L	INE.	NW N	E NW	14-14 SEC		
	-	050	T				1		l ones:			
TWP.	RGE.	SEC.	OPERATOR			TWP. F	RGE.	SEC.	OPERA	IUK!		
18 \$	11 E	18	TRUE QIL CO	MPANY								


- I I I I I I I I I I I I I I I I I I I	Checked by Chief W.5
Entered in NID File	Checked by Chief 1995
ocation Map Pinned	이렇게 되었다. 그는 사람들은 이번 사람들은 생생님이 되었다. 그는 사람들은 사람들이 되었다. 그는 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은
Card Indexed	Disapproval Letter
COMPLETION DATA:	
Date Well Completed	Location Inspected
₩ WW TA	Bond released
√W OS PA	State or Fee Land
Lo	GS FILED
Briller's Log	
Rectric Logs (No.)	
B I Dual I L	at GR-N Micro
RG Sonic GR	Mi-L Sonie

approach Drie Telentuated 1-5-16

UNITED STATES DEPARTMENT OF THE INTERIOR

		TED STATE		reverse s	lde)	e 4 H				
	DEPARTMEN	T OF THE	INTER	RIOR		5. LEASE DESIGNAT	ION AND SERIAL NO.			
	GEOLO	GICAL SURV	/EY			U-21775				
APPLICATIO	N FOR PERMIT	TO DRILL,	DEEP	EN, OR PLUG B	ACK	6. IF INDIAN, ALLO	TTEE OR TRIBE NAME			
1a. TYPE OF WORK						7. UNET AGREEMEN	T NAME			
	ILL X	DEEPEN		PLUG BAG	CK 📙 😹		S P C			
b. TYPE OF WELL OIL [Y] G	AS [INGLE MULTIP	тв [] ੂੰ	S. FARM OR LEASE	NAME			
OIL G WELL Z G 2. NAME OF OPERATOR	VELL OTHER		Z(ONE L ZONE		True Fed	54 (b) 14			
True Oil C	OBDANY				Š	9. WELL NO.	<u>- 1 2 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6</u>			
3. ADDRESS OF OPERATOR						-#21-18	1			
P. O. Box	2360. Casper	. WY 826	01		jean to Sugar Sens Un-	10. FELD AND POO	L, OR WICDCAT			
At curface					iDea	wildcat	1 D			
	FWL, and l				977	AND SURVEY OF	OR BERT			
At proposed prod. zon	ne Section 18	, T.18 S.	R.	ILE.	ž,	Sec 18-TH	RS-RET F			
14 DISTANCE IN MILES	AND DIRECTION FROM NEA	REST TOWN OF POS	ST OFFIC	z•	horse Fig.	12. COUNTY OR PAR	72, 33			
	st of Catle				Ž Ž	Buery	Utah			
15. DISTANCE FROM PROP	OSED*			O. OF ACRES IN LEASE		FACRES ASSIGNED				
PROPERTY OR LEASE	LINE, FT.	660	1	2533	TOT	HIS WELL S	98.80			
(Also to nearest dri 18. DISTANCE FROM PROI	POSED LOCATION*	000	19. PI	ROPOSED DEPTH	20. ROTA	RY, OR CABLE TOOLS				
TO NEAREST WELL, I OR APPLIED FOR, ON TH	RILLING, COMPLETED, IS LEASE, FT.	N/A		4200'	Re	tary				
21. ELEVATIONS (Show wh	ether DF, RT, GR, etc.)				- - 186 G	22, APPROX. DATE	WORK WHL START*			
60 00'	Gr. (est)					Rig avai	lability			
23.		PROPOSED CASI	NG ANI	D CEMENTING PROGRA	M 🚆 🚊		So Su Elli			
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER I	FOOT	SETTING DEPTH	T 5 8	QUANTITY OF CR	MENT			
13-3/4"	9-5/8"	32#		100'	Cement to surface					
6-1/4"	4-1/2"	9.5#		4200'	50 sacks 34 35 3					
perator propo	ses to drill	a well e		ving rotary	tools	to test t	he Kalbab			
t approximate			•	M • • • • • • • • • • • • • • • • • • •	1 3 6	The second secon	## ## ## ## ## ## ## ## ## ## ## ## ##			
13-3/4" hole	will be dri	lled to a	DDTO	ximately 100	· to	permit run	ning 9-5/8'			
2#/ft. H-40 c	asing which	will be c	ener	ted to the s	urfac	e. The ca	sing head			
ill have a se	ries 600 rat	ing. 7" i	nter	mediate may	be se	ະ ີ a t 3200 ເ				
fter reaching	total depth	an aporo	oria	te set of el	ectri	cos wil	l be run.			
he contractor	will nee wa	ter base	mud	for drilling	fluk	diand ale	9 3 3			
n event comme	rois! produc	tion is a	ncou	ntered. 4k"	casin	idil be	set through			
he producing	some any uso	narly com	anta	d The well	will f	then be c	pmpleted			
ne producing n accordance					. *************************************					
n accordance					hla 🕏	na travent	er together			
			4 96	TTAR JOO MAN		그림 우척 몫속 끝성				
ith fill, kil				esuwa is awn	: Thetne		ravimetaly			
he maximum an	strerbated bo	CEOM UNITE	: bre	seare to evh	چي د دونو		Faffs			
500 psi.	Thomas process . If	nuonocal is to doe		plug back, give data on p	j posont prod		and Green productive			
zone. If proposal is to preventer program, if an	drill or deepen direction	ally, give pertinen	it data (on subsurface locations ar	d measure	d and true vertical d	epths Cive blowout			
	Signed By				<u> </u>		THE STATE OF			
	usselman		Or	erations Sup	ervi d	of dig Aug	.23. 1974			
SIGNED J. L.	Fusselman	TI	TLE	-venezum vap		Co C PATE O RE				
(This space for Fede	eral or State office use)				, S. C. C. S. C. C. S. C.	10 (10 (10 (10 (10 (10 (10 (10 (10 (10 (
PERMIT NO.	015-2003	0		APPROVAL DATE	0					
1 34, 11 50.				IBVIMA DAIR	# P	N 5 34 39 3				
APPROVED BY		ТІ	TLE		2	DATE C				
	AL IF ANY					رة كر تعلق ما فيدا وكال فيما في	one to the Combination			

T18S, R1/E, S.L.B.&M.



X = SECTION CORNERS LOCATED

PROJECT

ENERGETICS CORPORATION

Well location, located as shown in the NE 1/4 NW 1/4, Section 18, T18S, R11E, S.L.B.& M. Carton County, Utah. EMERY



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED TAND SURVEYOR REGISTRATION Nº 2454

STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
P.O. BOX Q ~ 110 EAST ~ FIRST SOUTH
VERNAL, UTAH ~ 84078

	·
SCALE	DATE
1"= 1000'	MAY 7, 1974
PARTY	REFERENCES
L.D.T. N.D.	GLO PLAT
WEATHER	FILE
FAIR	ENERGETICS INC.

Additional Information

True Federal 21-18

- 1. Surface casing is to be a 9 5/8" 32.5 lb. J-55 new casing.
- 2. Casing head is to be a 10 inch Series 600.
- 3. Intermediate casing is to be 7" 20 lb. J-55 used casing.
- 4. Blowout preventer sketch is attached. A rotating head will be used.
- 5. Auxilary equipment will consist of a bit float.
- 6. The anticipated maximum bottom hole pressure is 1200 psi.
- 7. Drilling fluid will be water base mud until intermediate casing is set then air drilling is contemplated.

DESIGNATION OF OPERATOR

The undersigned is, on the records of the Bureau of Land Management, holder of lease

DISTRICT LAND OFFICE: Salt Lake City, Utah

SERIAL NO.: USA-U-21775

and hereby designates

Name: True 011 Company

Address: P. O. Box 411, Casper, Wyoming 82601

as his operator and local agent, with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the supervisor or his representative may serve written or oral instructions in securing compliance with the Operating Regulations with respect to (describe acreage to which this designation is applicable):

Township 18 South, Range 11 East, SLM
Sec. 7: All (Lots 1,2,3,4; E/2W/2; E/2)
Sec. 8: All
Sec. 18: All (Lots 1,2,3,4; E/2W/2; E/2)
Sec. 19: All (Lots 1,2,3,4; E/2W/2; E/2)

Containing 2533.44 acres, m/l Emery County, Utah

It is understood that this designation of operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated operator, the lessee will make full and prompt compliance with all regulations, lease terms, or orders of the Secretary of the Interior or his representative.

The lessee agrees promptly to notify the supervisor of any change in the designated operator.

(Signature of less

Claud B. Hamill


2306 First City National Bank Building

Houston, Texas 77002

(Address)

· July 8, 1974

. S. GOVERNMENT PHINTING OFFICE 16-53598-3



Frue Oil Co.				Y OF		L			,	•				<u>(</u>					9/4	
weil No. 21-18		1	+	:					:		Hii	-				nsp				
NE/4Nuly see 18 -185-118	C	ons	tru	ction	P	011	uti	on		Pro	du	cti	on	_	Ope	rati	ano	Accid	onts	0
Doug Thurman Ray Lowis Chuck Tankersky Pay Edmindo Tory Schmick.	orts	Dipelines N/A W	nts WE	ons, rations, etc.)	disposal	charge	sol All	s, noxious gas, etc.		walls, facilities)	y 1/1/2-60,	scenicv	(ext. facilities)						0	
Earl Sides & True Oil Jim Tuglor & True Oil E boulians Out landr. E. longen us 65 [Enhances Minner Impact Mo Impact Miniger	Roads, bridges, airp	Transmission lines,	Dams & impoundme	Others (pump stations, compressor stati	Burning, noise, junk dispos	Liquid effluent discharge	Subsurface diapos	xic gase	Well drilling	Fluid removal (Prod.	Secondary Recovery	Noise or obstruction	Mineral processing	- Others	Trucks	Pipelines U/	Others	Spills and leaks	Operational failure	
Forestry									_					_						
Grazing		,				/													أتبسيما	
Wilderness	/					/														
Agriculture																				
Residential-Commercial														1						
Mineral Extraction	C	٥				$\overline{/}$			C	0				1						
Recreation	/							7												
Scenic Views									Z								•			
Porks, Reserves, Monuments																				
Historical Sites												_	$-\downarrow$							
Unique Physical Features		1				\leq						4								
Birds	/					/		/												
Land Animals						/		$\overline{}$				/								•
Birds Eland Animals Fish																			* * **	
Endangered Species																				
Endangered Species Trees, Grass, Etc.		,				/		/												
														1						
Underground Water			\neg				_													
Surface Water Underground Water Air Guality Fresion	7							7				\dashv								
Erosion'	7	7	-		r	-					-	1	7	-		,				
Erosion Other		-				-				-		_	+	-						
Effect On Local Economy	v								C	C				-	0					
Safety & Health	_ ('		·			/		/,						:	/					
Others				(-/							+				/	**	

State Eparen - Gebru Mita

True Oil Co., Operator

Well No. & Location Well No. 21-18 NE/4NW/4 see 18-185-11 & SCM Emery Co., Utah

ENVIRONMENTAL INDACT AMALYSTS - ANTACHDENT 2-B

1. Proposed Action

1) Construct Gooff access road to drill site from the existing Cedar Mtn Road. Codar Mtn Road is an improved road. 4001+ of access road will be three an existing exceration for road moteriale of rooft will be new construction, 2) Clour & level & 158'x250' drill pad of dig a 5'x100' x100' reserve pit. 3) Drill a 4200st oil of gas test using retary tools of air of mud drilling Jechniques .

2. Location and Matural Setting (existing environmental situation)

Proposed drill site is located 10 miles St SE from Cleveland Mich on North side of Cedar Mh Road to about 600 (4 north of the Cedar mto. Roads Cedar mti Road. 15 an improved road with grovel surface. Drill sike falls an Codar mt. about 3/4 mile NE of Bull Hollows & about only mile East of Status spring. This is, in general, in Castle Valley (west) Surrounded by the Book Cliffs of whin the Book Cliffs pied mont of N. of S.R. Swell Drill site location is on a gentle stope to the NW with Satt scattered outcrops of the Codar mita Conglomorate. Soil is a fire-medium textured sandy loans that supports a Scuttered growth of prinon-junyon, sage brush & native grasses adjoint to the road of on the north side is a shallow burrow pit (about 2' x 150' x 400') or excavation used for road material There i no outcoop of adar mon conglomerate exposed in

Und life in the area consists of scattered deer, rabbites & other do sert wildlife (lisards reptiles, etc.) The Buckharn Ranguage is located about Sec 20-185-108. Wildlife is scarce in this areas

Drainage is to NW of into the San Refael River, to the Sw. Through There are no residences nearor than Cleveland. The area is uninhabited & disturbed only by Ceder MAM Road. Desert area.

Ousper District SLC District

Casper, Wyoming

ENVIRONMENTAL IMPACT REPORT FOR FEDERAL WASES

Lease, Serial	No.: U 21775
Federal . 2	21-18
NE NW Sec 18	T.18S.,R.11E.
Emery County,	, Utah
10-01-040)n


The following data is submitted herewith to supplement Sundry Notices Report for Application to Drill the captioned well:

Existing roads showing exit from main highway (shown on Exhibit "A"). Remarks: No repair needed.
Planned access roads are shown on Exhibit "A". (Give brief explanation of any cuts, fills, culverts and cattleguards required.) 400 feet north of county road.
Location of wells. (Any producing wells or dry holes of significance in the immediate area will be shown on Exhibit "A") Remarks:
Lateral roads to well locations in area. (If any, they will be shown on Exhibit "A")
Contemplated location of tank battery.
Location and type of water supply. (Show location of water, distance from location and owner's name.) 12 miles northwest of Desert Lake
Waste material - all waste material and trash will be disposed of in burn pit. All other debri which cannot be burned will be hauled away or buried in the reserve pit. No burning will be allowed and a chemical toilet will be used. Location of camps. N/A
Location of airstrips. N/A Location layout (size of location, position of rig, mud tanks, reserve pits, etc) Exhibit "B" is attached showing relative position of rig and accessory equipment. Face rig to south with pit on east side Location 250' long x 150' wide. Pit - 100' long, and 5' deep.
Plan for restoration of surface: Topsoil will be stockpiled and cuts will be backsloped and held to a 3 to 1 grade. After operations are completed, water bars will be constructed as required, all debri will be cleaned up and the burn pit will be backfilled and leveled. Mud pits will be fenced as required until dry enough to be backfilled, leveled and then the topsoil will be distributed over the area. The site will be seeded with a good quality seed, the mixture of which will meet U.S.G.S. or B.L.M. specifications. Arrangements for use of the surface have been made with the surface owner:
General description of topography, vegetation and other aspects of the area. (Indicate percents of different kinds of vegetation and give the depth and location of any required cuts.) Pine trees and rock 70% pine trees, 30% grass and brush. 5' cut. Lay rig north, pit on west, cut on east.
Livestock and wildlife protection. All precautions will be taken to protect livestock and wildlife from damage. Any problems concerning


livestock and wildlife will be reported to the proper authorities.


Operator, TRUE OIL COMPANY

By: J. W. Taylor/bf



13. my 119 15" 900 15" 900





TRUE OIL COMPANY

RIVER CROSS ROAD

CASPER, WYOMING P. O. DRAWER 2360 P H O N E 237-9301 82601

August 21, 1974

Re: U-21775
Federal No. 21-18
T 18 S, R 11 E
Sec. 18: NE4NW4
Emery County, Utah
10-01-0400

Utah Oil and Gas Conservation Commission 1588 West, North Temple Salt Lake City, Utah 84116

Gentlemen:

Please allow this letter to serve as True Oil Company's formal request for exemption from the State of Utah's Rule C-3(b), under General Well Spacing Requirements. Due to topographic and ecological reasons, it is necessary that the above captioned drill-site be located closer than 500 feet to a governmental quarter-quarter section line. Please be advised that True Oil Company owns all oil and gas leases within 660 feet of the proposed location. If anything additional is required, please advise.

Very truly yours, Randall M. Mankin

RANDALL W. MANKIN

RWM:ss

True Oil Company September 5, 1974 Page Two

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation relative to the above will be greatly appreciated.

The API numbers assigned to these wells are as follows:

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

CLEON B. FEIGHT DIRECTOR

CBF:sw

cc: U.S. Geological Survey

September 5, 1974

True 0il Company Sox 2360 Casper, Wyoming 82601

Re: Well No's:
Federal #11-35,
Sec. 35, T. 20 S, R. 3 E,
Federal #14-10,
Sec. 10, T. 22 S, R. 8 E,
Federal #21-18,
Sec. 18, T. 18 S, R. 11 E,
Federal #22-11,
Sec. 11, T. 19 S, R. 11 E,
Federal #34-7,
Sec. 7, T. 20 S, R. 10 E,
Federal #41-28,
Sec. 28, T. 21 S, R. 9 E,
Emery County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to wells is hereby granted in accordance with Rule C-3(c) of the General Rules and Regulations and Rules of Practice and Procedure.

Said approval is, however, conditional upon your company receiving the necessary approval from the U.S. Geological Survey and/or the U.S. Bureau of Land Management.

Should you determine that it will be necessary to plug and abandon these wells, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL - Chief Petroleum Engineer HOME: 277-2890 CFFICE: 328-5771

Due to the increase in Utah's drilling activity, and thus well inspections, it would be greatly appreciated if you would advise this office as to your drilling contractor, rig number, and toolpusher immediately upon spudding-in.

January 5, 1976

True Oil Company P.O. Box 2360 Casper, Wyoming 82601

Re: Well No's:
Federal #41-28,
Sec. 28, T. 21 S, R. 9 E,
Federal #23-15
Sec. 15, T. 18 S, R. 12 E,
Federal #21-31
Sec. 31, T. 17 S, R. 12 E,
Federal #21-18
Sec. 18, T. 18 S, R.11 E,
Federal #11-20
Sec. 20, T. 23 S, R. 8 E,
Emery County, Utah

Gentlemen:

Upon checking our records it is noted that there has been no attempt to commence drilling operations on the above referred to wells for a period of **6**ver one year. Therefore, please be advised that the approval to commence said operations granted by this Division is hereby terminated.

If and when you decide to drill these wells, it will be necessary for you to again obtain the approval of this office.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

CLEON B. FEIGHT DIRECTOR

CBF:sw



Conservation Division 8440 Federal Building Salt Lake City, Utah 84138

April 13, 1976

True 0il Company P. O. Box 2360 Casper, Wyoming 82601

Re: Well No. 21-18
NE% NW%, Sec. 18-185-11E
Emery County, Utah
Federal Lease Utah 21775

Gentlemen:

Our records indicate that drilling has not commenced on the referenced well and, therefore, the Application for Permit to Drill which was approved November 25, 1974 is rescinded effective as of this date without prejudice.

Any surface disturbance associated with this approved application must be restored in accordance with the approved Surface Use Plan prior to release of bonding.

If you should again desire to drill at this location, please submit a new Application for Permit to Drill.

Sincerely yours,

(ORIG. SGD.) W. P. MARTENS

W. P. Martens Acting District Engineer

bc: Utah State 0&6
BLM - Moab
0&6S, NRMA, Casper
USGS, Vernal
Well file

WPM: tw